

159 Chestnut Street Ashland, MA 01721 ISO Certified

SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 PRODUCT NAME: Plasmid DNA Isolation Solution II (Lysis Buffer)

CATALOG #: DK-202

1.2 RECOMMENDED USE: Laboratory Chemicals

1.3 COMPANY IDENTIFICATION: Boston BioProducts, Inc.

159 Chestnut Street, Ashland, MA 01721

1.4 EMERGENCY CONTACT: 1-800-535-5053 TOLL FREE NUMBER: 1-888-881-8691

SECTION 2 - HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

H290	Corrosive to metals	Category 1
H314	Skin corrosion	Category 1A
H318	Serious eye damage	Category 1
H402	Acute aquatic toxicity	Category 3

2.2 GHS Label elements, including Hazard and Precautionary Statement(s) Pictogram



Signal word: Danger

Hazard statement(s)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H402	Harmful to aquatic life.

Prevention, Response, Storage and Disposal Precautionary Statement(s)

P234	Keep only in original container.
P260	Do not breathe dust or mist.
P264	Wash skin thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.



159 Chestnut Street Ashland, MA 01721 ISO Certified

BOSTON BIOPIC	Juucis
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/ container to an approved waste disposal plant.

SECTION 3- COMPOSITION/INFORMATION ON INGREDIENTS

Composition: 0.2 N Sodium Hydroxide, 1% Sodium Dodecyl Sulfate, pH >11. Prepared in 18.2 megohms-cm \pm 1 water and filtered through a 0.22-micron filter.

Component	CAS Number	Concentration (%)
Sodium Hydroxide	1310-73-2	0.8%
Sodium Dodecyl Sulfate (SDS)	151-21-3	1%
Water	7732-18-5	rest

SECTION 4 - FIRST-AID MEASURES

4.1 Description of first aid measures

General advice: Consult a doctor and show this safety data sheet.

- **i. If inhaled:** Remove to fresh air and monitor breathing. If breathing becomes difficult, give oxygen. If breathing stops, give artificial respiration. Consult a doctor.
- **ii. In case of skin contact:** Immediately wash skin with copious amounts of soap and water for at least 15 minutes. Remove contaminated clothing and shoes and wash before reuse. Consult a doctor.
- iii. In case of eye contact: Flush with copious amounts of water for at least 15 minutes. Consult a doctor.
- **iv. If swallowed:** Rinse mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Consult a doctor.
- **4.2 Most important symptoms and effects, both acute and delayed:** To the best of our knowledge, the chemical, physical and toxicological properties have not been thoroughly investigated.
- **4.3 Indication of immediate medical attention and special treatment needed:** Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

SECTION 5 - FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide



159 Chestnut Street Ashland, MA 01721 ISO Certified

- 5.2 Special hazards arising from the substance or mixture: No Data Available.
- **5.3 Precautions for fire-fighters:** Wear suitable protective clothing to prevent contact with skin and eyes and self-contained breathing apparatus.
- **5.4 Further information:** No data available

SECTION 6 - ACCIDENTAL RELEASE MEASURES

- **6.1 Personal precautions, protective equipment and emergency procedures:** Do not take action without suitable protective clothing see section 8 of SDS. Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid breathing vapors, mist, dust or gas.
- **6.2 Environmental precautions:** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up:** Cover spillage with suitable absorbent material. Using non-spark tools, sweep up material and place in an appropriate container. Decontaminate spill site with 10% caustic solution and ventilate area until after disposal is complete. Hold all material for appropriate disposal as described under section 13 of SDS.
- **6.4 Reference to other sections:** For required PPE see section 8. For disposal see section 13.

SECTION 7 - HANDLING AND STORAGE

- **7.1 Precautions for safe handling:** Use in a chemical fume hood, with air supplied by an independent system. Avoid inhalation, contact with eyes, skin and clothing. Avoid the formation of dust and aerosols. Use in a well-ventilated area. Keep away from sources of ignition. Avoid prolonged or repeated exposure.
- **7.2 Conditions for safe storage, including any incompatibilities:** Store in cool, well-ventilated area. Keep away from direct sunlight. Keep container tightly sealed until ready for use. Keep in a dry place.
- **7.3 Specific end use(s):** Use in a laboratory fume hood where possible

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters: Contains no substances with occupational exposure limit values.

8.2 Exposure Controls

Appropriate engineering controls: Use in a fume hood where applicable. Ensure all engineering measures described under section 7 of SDS are in place. Ensure laboratory is equipped with a safety shower and eye wash station.

8.3 Personal protective equipment

- **Eye/face protection:** Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
- **ii. Skin protection:** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166
- **iii. Body Protection:** Wear appropriate protective clothing. Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
- **iv. Respiratory Protection:** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
- v. Control of environmental exposure: Do not let product enter drains



159 Chestnut Street Ashland, MA 01721 **ISO Certified**

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

information on basic physical al	iu chemicai properties	1	
Appearance	Liquid	Vapor Pressure	No Data Available
Odor	No Data Available	Vapor Density	No Data Available
Odor Threshold	No Data Available	Relative Density	No Data Available
pH	>11	Water Solubility	No Data Available
Melting / Freezing Point	No Data Available	Partition Coefficient	No Data Available
Initial Boiling Point Range	No Data Available	Auto-Ignition Temperature	No Data Available
Flash Point	No Data Available	Decomposition Temperature	No Data Available
Evaporation Rate	No Data Available	Viscosity	No Data Available
Flammability (Solid, Gas)	No Data Available	Explosive Properties	No Data Available
Upper / Lower Flammability Or Explosive Limits	No Data Available	Oxidizing Properties	No Data Available

SECTION 10 - STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions.

Hazardous Decomposition Products/ Hazardous Polymerization: No Data Available.

Incompatibilities: Strong Oxidizing Agents.

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute Toxicity:

LD50 Oral (Sodium Dodecyl Sulfate)	Rat – 1,200 mg/kg
LD50 Dermal (Sodium Dodecyl Sulfate)	No data available.
LC50 Inhalation (Sodium Dodecyl Sulfate)	Rat - > 3,900 mg/m3 (1 hour)

Skin corrosion/irritation:

Causes skin irritation (Rabbit) (Sodium Dodecyl Sulfate)

Serious eye damage/eye irritation:

Has risk of serious eye damage (Rabbit) (Sodium Dodecyl Sulfate)

Respiratory or skin sensitization:

No data available. (Sodium Dodecyl Sulfate)

Germ cell mutagenicity:

No data available. (Sodium Dodecyl Sulfate)

Carcinogenicity:

IARC (Sodium Dodecyl Sulfate)	Product and components are not regulated by the IARC.
ACGIH (Sodium Dodecyl Sulfate)	Product and components are not regulated by the ACGIH.
NTP (Sodium Dodecyl Sulfate)	Product and components are not regulated by the NTP.
OSHA (Sodium Dodecyl Sulfate)	Product and components are not regulated by OSHA.

Reproductive Toxicity:

No data available. (Sodium Dodecyl Sulfate)



159 Chestnut Street Ashland, MA 01721 ISO Certified

Specific target organ toxicity - single exposure:

No data available. (Sodium Dodecyl Sulfate)

Specific target organ toxicity - repeated exposure:

No data available. (Sodium Dodecyl Sulfate)

Aspiration Hazard:

No data available. (Sodium Dodecyl Sulfate)

Additional Information:

RTECS: WT1050000. (Sodium Dodecyl Sulfate)

Causes sneezing. The sodium salt of dodecyl sulfate has been reported to cause pulmonary sensitization resulting in hyperactive airway dysfunction and pulmonary allergy accompanied by fatigue, malaise, and aching. Significant symptoms of exposure can persist for more than two years and can be activated by a variety of nonspecific environmental stimuli such as automobile exhaust, perfumes, and passive smoking.

SECTION 12 - ECOLOGICAL INFORMATION

Toxicity:

No data available. (Sodium Dodecyl Sulfate)

Aquatic Toxicity:

Species: Fathead Minnow (Pimephales promelas). Exposure: 96 hours. Results: Flow-Through Test

LC50 29 mg/l. (Sodium Dodecyl Sulfate)

Species: Water Flea (Daphnia dubia). Exposure: 48 hours. Results: LC50 5.55 mg/l. (Sodium Dodecyl Sulfate) Species: Water Flea (Daphnia dubia). Exposure: 7 days. Results: NOEC 0.684 mg/l. (Sodium Dodecyl Sulfate)

Species: Pseudokirchneriella subcapitata. Exposure: 6 days. Results: Growth Inhibition LOEC 2.68

mg/l. (Sodium Dodecyl Sulfate)

Species: Scenedesmus subspicatus (Desmodesmus subspicatus). Exposure: 72 hours. Results:

Static Test EC50 > 120 mg/l. (Sodium Dodecyl Sulfate)

Persistence and degradability:

Readily biodegradable (95%, Exposure = 28 days) (Sodium Dodecyl Sulfate)

BOD/ThBOD: 95.9% (Sodium Dodecyl Sulfate)

Bioaccumulative potential:

Species: Carp (Cyprinus carpio). Exposure: 72 hours. BCF: 3.9-5.3 (Sodium Dodecyl Sulfate)

Mobility in soil:

No data available (Sodium Dodecyl Sulfate)

Results of PBT and vPvB assessment:

PBT/vPvB assessment not available as chemical safety assessment is not required/was not conducted. (Sodium Dodeycl Sulfate)

Other adverse effects:

Toxic to aquatic life. (Sodium Dodecyl Sulfate)

Chronic Toxicity: There are no known carcinogenic chemicals in this product

SECTION 13 - DISPOSAL CONSIDERATIONS

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.



159 Chestnut Street Ashland, MA 01721 **ISO Certified**

SECTION 14 - TRANSPORT INFORMATION

DOT	TDG	IATA	IMDG/IMO
UN Number: 1325		UN Number: 1325	UN Number: 1325
Class: 4.1	Not regulated	Class: 4.1	Class: 4.1
Packing Group: III		Packing Group: III	Packing Group: III
Proper Shipping Name:		Proper Shipping Name:	EMS-No: F-A, S-G
Flammable solids, organic, n.o.s. (Sodium dodecyl sulphate)		Flammable solids, organic, n.o.s. (Sodium Dodecyl Sulfate)	Proper Shipping Name: Flammable solids, organic, n.o.s.
Poison Inhalation Hazard: No		Y	(Sodium Dodecyl Sulfate)

SECTION 15 - REGULATORY INFORMATION

USA Federal Regulation

SARA 302: This product and components are not subject to the reporting requirements of SARA Title III, Section 302.

SARA 313: This product does not contain any components with known CAS numbers that exceed the threshold reporting levels established by SARA Title III, Section 313.

SARA 311/312 HAZARDOUS CATEGORIZATION: Fire Hazard, Acute Health Hazard

Clean Water Act/ Clean Air Act: No chemicals are present in this product that are subject to regulation under the Clean Water Act.

Clean Air Act: Not Applicable

TSCA 12(b)/ OSHA/ CERCLA: Not Applicable

California Proposition 65: This product does not contain any Proposition 65 chemicals.

STATE RIGHT TO KNOW

OTATE RESILIENCE					
Components	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sodium Dodecyl Sulfate	-	Listed	Listed	-	-
(CAS-No.: 151- 21-3)					

HMIS Rating

	Til-15 Kating				
Health hazard	Chronic Health Hazard	Flammability	Physical Hazard		
2		0	0		



159 Chestnut Street Ashland, MA 01721 **ISO Certified**

NFPA Rating

Health Hazard	Fire Hazard	Reactivity Hazard
2	0	0

US DEPARTMENT OF TRANSPORTATION

REPORTABLE QUANTITY (RQ)	DOT MARINE POLLUTANT	DOT SEVER MARINE POLLUTANT
No	No	No

U.S. DEPARTMENT OF HOMELAND SECURITY: This product does not contain any DHS chemicals.

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

This SDS complies with the requirements of Regulation (EC).

SECTION 16 - OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Boston BioProducts, Inc shall not be held liable for any damage resulting from handling or from contact with the above product. This product is sold for laboratory research and development purposes use only.

Revised: 2019